

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|------------------|---------|------------------|
| L1 | 2 | "20040107109" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 20:47 |
| L2 | 7 | ((service near2 load\$4) same (password id username) same (id identif\$4) same ((place locat\$4 indicat\$4) near3 (content data)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 20:53 |
| L3 | 22 | ((service near2 load\$4) sl) same (password id username) same ((place locat\$4 indicat\$4) near3 (content data)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 20:56 |
| L4 | 505872 | ((service near2 load\$4) sl) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 20:56 |
| L5 | 1209 | ((service near2 load\$4) sl) same server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 20:56 |
| L6 | 174 | ((service near2 load\$4) sl) same server same message | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:14 |
| L7 | 2 | ((service near2 load\$4) sl) same server same msisdn | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:15 |
| L8 | 4 | ((service near2 load\$4) sl) same msisdn | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:17 |
| L9 | 4 | ((service near2 load\$4) sl) same (msisdn (mobile near3 subscriber near3 international near3 digital)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:18 |
| L10 | 5 | ((service near3 load\$4) sl) same (msisdn (mobile near3 subscriber near3 international near3 digital)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:19 |

| | | | | | | |
|-----|-----|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|----|------------------|
| L11 | 4 | ((service near2 load\$4) sl) same (msisdn (mobile near3 subscriber near3 international near5 digital)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:20 |
| L12 | 4 | ((service near2 load\$4) sl) same (msisdn (mobile near3 subscriber near3 international near4 digital)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:27 |
| L13 | 4 | ((service near2 load\$4) sl) same (msisdn (mobile near3 subscriber near4 digital)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:22 |
| L14 | 4 | ((service near2 load\$4) sl) same msisdn | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:21 |
| L15 | 85 | ((service near2 load\$4) sl) same url | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:22 |
| L16 | 71 | url same msisdn | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:30 |
| L17 | 1 | 15 and 16 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:21 |
| L18 | 219 | ((service near2 load\$4) sl) same (http url) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:24 |
| L19 | 112 | (url http) same (msisdn (mobile near3 subscriber near4 digital)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:22 |
| L20 | 1 | 18 and 19 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:23 |

| | | | | | | |
|-----|----------|-----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|----|------------------|
| L21 | 1 | 18 same 19 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:23 |
| L22 | 4 | 4 and 19 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:24 |
| L23 | 67 | ((service near2 load\$4) sl) and (msisdn (mobile near3 subscriber near3 international near4 digital)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:27 |
| L24 | 11 | url same http same msisdn | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 21:30 |
| L26 | 35 | http same msisdn same mobile | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 22:48 |
| L27 | 37 | msisdn same (mobile near3 server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 22:48 |
| S1 | 85589 | "455"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 11:58 |
| S2 | 24155523 | @ad<="20030701" or @rlad<="20030701" or @ptad<="20030701" or @pt1d<="20030701" or @pt3d<="20030701" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:22 |
| S3 | 70259 | S1 and S2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 10:19 |
| S4 | 411 | server same network same request\$4 same (modif\$4 near3 request\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 10:20 |

| | | | | | | |
|-----|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|----|------------------|
| S5 | 18 | S3 and S4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 10:35 |
| S6 | 14731 | (portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) with (as near3 server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:19 |
| S7 | 0 | request\$4 near4 (from near3 network) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 10:37 |
| S8 | 1 | (from near3 network) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 10:38 |
| S9 | 584 | (modif\$5 near4 request\$\$) with network | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 10:39 |
| S10 | 4 | S6 same S9 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 10:39 |
| S11 | 5767 | (portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) with (as near3 server) same network | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 10:44 |
| S12 | 369 | S3 and S11 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 15:07 |
| S13 | 2 | "20040203599" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 15:07 |
| S14 | 5557 | (portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) near5 (as near3 server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:28 |

| | | | | | | |
|-----|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|----|------------------|
| S15 | 142253 | first same second same (server network (resource near3 content)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:21 |
| S16 | 391 | S14 same S15 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:21 |
| S17 | 85589 | "455"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:22 |
| S18 | 24155523 | @ad<="20030701" or @rlad<="20030701" or @ptad<="20030701" or @pt1d<="20030701" or @pt3d<="20030701" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:22 |
| S19 | 70259 | S18 and S17 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:22 |
| S20 | 22 | S16 and S19 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:22 |
| S21 | 162485 | (portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) same (access\$4 request\$4) same (network server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:30 |
| S22 | 27051 | (portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) same (access\$4 request\$4) same (network server) same first and second | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:32 |
| S23 | 0 | (portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) same (request\$4 access\$4) same (network server provider (resource near3 content)) same from | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:35 |

| | | | | | | |
|-----|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|----|------------------|
| S24 | 166941 | (portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) same (request\$4 access\$4) same (network server provider (resource near3 content)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:35 |
| S25 | 111358 | (portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) with (request\$4 access\$4) with (network server provider (resource near3 content)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:35 |
| S26 | 93001 | (portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) near10 (request\$4 access\$4) near10 (network server provider (resource near3 content)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 20:30 |
| S27 | 2 | "20050014489" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 22:25 |
| S28 | 121 | msisdn same (key (key near2 word)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 12:12 |
| S29 | 15329 | (sir sia (session near2 initiation)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 12:44 |
| S31 | 509721 | (service near3 load\$4) sl | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 12:00 |
| S32 | 33 | S29 same S31 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 12:00 |
| S33 | 24156018 | @ad<="20030701" or @rlad<="20030701" or @ptad<="220030701" or @pt1d<="20030701" or @pt3d<="20030701" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 12:01 |

| | | | | | | |
|-----|-----|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|----|------------------|
| S34 | 113 | S28 and S33 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 12:01 |
| S35 | 83 | msisdn same (key (key near2 word)) same (replac\$4 (as neae3 server)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 12:13 |
| S36 | 77 | S33 and S35 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 12:13 |
| S37 | 33 | S29 same S31 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 12:45 |
| S38 | 31 | S33 and S37 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 15:46 |
| S42 | 23 | (indicat\$4 near5 server) same ((plac\$4 locat\$4 type) near4 (data content)) same (username id identif\$4) same (password pin key) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 15:50 |
| S43 | 2 | "20030105864" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/09 20:42 |